Number			ı	
		(0-1; 20000320 am 0mlads-20000320)d	TICDAM.	2004/05/29
-	6	(@ad<=20000320 or @rlad<=20000320) and ((operand or instruction) near4 replac\$4)	USPAT; US-PGPUB;	12:05
		and (resolv\$4 near4 (symbol\$4 adj2	EPO; JPO;	12.03
		reference))	DERWENT;	
			IBM_TDB	
-	9	(@ad<=20000320 or @rlad<=20000320) and	USPAT;	2004/05/28
		<pre>((operand or instruction) near4 (replac\$4 or substitut\$4)) and (resol\$6 near4</pre>	US-PGPUB; EPO; JPO;	18:07
		(symbol\$4 adj2 reference))	DERWENT;	
		(Symboly 1 day 2 reference //	IBM TDB	
-	2	6,308,317.pn.	USPAT;	2004/05/29
			US-PGPUB;	11:52
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	5,367,685.pn.	USPAT;	2004/05/29
	J	, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	12:02
			EPO; JPO;	
		•	DERWENT;	
_ 1	6	((dynamic or runtime or interpreter)	IBM_TDB USPAT;	2004/05/29
_	Ö	near4 (symbol\$3 adj3 referenc\$4)) same	USPAT; US-PGPUB;	12:05
1		((field or stor\$5) near5 (result or value	EPO; JPO;	
		or numeric or address or replacement))	DERWENT;	
İ			IBM_TDB	
-	4	(((dynamic or runtime or interpreter) near4 (symbol\$3 adj3 referenc\$4)) same	USPAT; US-PGPUB;	2004/05/29
		((field or stor\$5) near5 (result or value	EPO; JPO;	12.23
		or numeric or address or replacement)))	DERWENT;	
		and (@ad<=20000320 or @rlad<=20000320)	IBM_TDB	
-	5	("5303392" "5367685" "5553286"	USPAT	2004/05/29
_	185	"5724590" "5778231").PN. (717/\$ or 714/\$ or 712/\$ or (symbol near2	USPAT;	12:11
	103	referenc\$4).clm.) and ((group\$4 or	US-PGPUB;	14:23
		organiz\$5 or partition\$4 or divid\$4 or	EPO; JPO;	
		collecti\$3) near4 ((instructions or	DERWENT;	
	1.64	operand) near3 type))	IBM_TDB	2004/05/20
-	164	((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or	USPAT; US-PGPUB;	2004/05/29
		organiz\$5 or partition\$4 or divid\$4 or	EPO; JPO;	12.07
		collecti\$3) near4 ((instructions or	DERWENT;	
		operand) near3 type))) and (@ad<=20000320	IBM_TDB	
		or @rlad<=20000320) and (symbol or		
_	5	external or reference) (((717/\$ or 714/\$ or 712/\$ or (symbol	USPAT;	2004/05/29
	Ü	near2 referenc\$4).clm.) and ((group\$4 or	US-PGPUB;	14:24
		organiz\$5 or partition\$4 or divid\$4 or	EPO; JPO;	
1		collecti\$3) near4 ((instructions or	DERWENT;	
		operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or	IBM_TDB	
1		external or reference)) and (resol\$6		
1		near5 reference)		
-	279	((Virtual adj2 Machine) or (constant adj	USPAT;	2004/05/29
1		pool)) and ((classif\$5 or group\$4 or	US-PGPUB;	16:19
·		stor\$4 or table) near4 ((instruction or operand or method) near3 (category or	EPO; JPO; DERWENT;	
1		name or family or type)))	IBM TDB	
-	16	(((717/\$ or 714/\$ or 712/\$ or (symbol	USPAT;	2004/05/29
1		near2 referenc\$4).clm.) and ((group\$4 or	US-PGPUB;	12:53
		organiz\$5 or partition\$4 or divid\$4 or	EPO; JPO;	
1		collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320	DERWENT;	
1		or @rlad<=20000320) and (symbol or	IBM_TDB	
		external or reference)) and (((Virtual		
		adj2 Machine) or (constant adj pool)) and		
		((classif\$5 or group\$4 or stor\$4 or		
J				
		table) near4 ((instruction or operand or method) near3 (category or name or family		

-	16	((((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/29 14:23
		operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)) and (((Virtual adj2 Machine) or (constant adj pool)) and ((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family or type))))) and (@ad<=20000320 or	IBM_TDB	
-	2	@rlad<=20000320) (717/\$ or 714/\$ or 711/\$ or 707/\$ or 709/\$) and (virtual adj machine) and ((reference near4 resol\$6) adj2 result)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/29 13:28
-	26	(group\$5 near4 ((operand or method or instruction) near3 type)) and ((constant adj pool) or (symbol\$2 near3 (reference or resol\$6)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/29 15:46
-	18	<pre>((group\$5 near4 ((operand or method or instruction) near3 type)) and ((constant adj pool) or (symbol\$2 near3 (reference or resol\$6)))) and (@ad<=20000320 or @rlad<=20000320)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/29 14:01
_	5	("5303392" "5367685" "5553286" "5724590" "5778231").PN.	USPAT	2004/05/29 14:18
-	323		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/29 14:22
-	267	(((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/29 14:46
-	144	referenc\$4).clm.) and ((((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/29 14:23
_	49	<pre>@rlad<=20000320)) ((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:52
	11	reference) (((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5 reference)) and (resolution near3 (result\$5 or value or address or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:33
_	5	operand)) ((((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5 reference)) and (resolution near3 (result\$5 or value or address or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:33
-	2727	operand))) not Sites.in. ((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:23

_	0	(((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.)	USPAT; US-PGPUB;	2004/05/29 14:46
		and (((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))	EPO; JPO; DERWENT; IBM TDB	
_	26	(((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))	USPAT; US-PGPUB; EPO; JPO;	2004/05/29 14:46
-	21	((((symbol or external) near4 resolution) same ((result or value) near5 (memory or	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/29 15:02
		table or stor\$4)))) and (@ad<=20000320 or @rlad<=20000320)	EPO; JPO; DERWENT; IBM TDB	
-	14	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or	USPĀT	2004/05/29 14:47
		US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or		
-	21	US-6609248-\$ or US-6317872-\$).did. (((((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))) and	USPAT; US-PGPUB; EPO; JPO;	2004/05/29 14:47
		(@ad<=20000320 or @rlad<=20000320) not ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or	DERWENT; IBM_TDB	
		US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or		
_	1	US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.) (((((717/\$ or 714/\$ or 712/\$ or (symbol	USPAT;	2004/05/29
		near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	15:02
		or @rlad<=20000320) and (symbol or external or reference)) and (((Virtual adj2 Machine) or (constant adj pool)) and	12.1_122	
		((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family		
		or type))))) and (@ad<=20000320 or @rlad<=20000320)) and (resol\$6 near5 reference)		
-	4	<pre>((((((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))) and (@ad<=20000320 or @rlad<=20000320)) not</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/29 14:59
		((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or	DERWENT; IBM_TDB	
		US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or		
-	1549	US-6609248-\$ or US-6317872-\$).did.)) and (resol\$6 near5 reference) ((stor\$4 or add\$4 or record\$4) near4	USPAT;	2004/05/29
		<pre>(value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	15:06
-	527	(((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or	USPAT; US-PGPUB; EPO; JPO;	2004/05/29 15:02
		resol\$6) near5 reference)) and (resol\$6 near5 reference)	DERWENT; IBM_TDB	

-	408	<pre>((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:07
-	31	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:03
-	23	((((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.)) not ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:03
-	177	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((stor\$4) near4 (value or address or operand or result\$3)) same ((resol\$6) near5 reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:06
-	177	<pre>((((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((stor\$4) near4 (value or address or operand or result\$3)) same ((resol\$6) near5 reference))) and (@ad<=20000320 or @rlad<=20000320)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:41
-	20	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.	USPAT	2004/05/29 15:23
-	4290	((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R,200)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:12

Page 4

-	20	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or	USPAT	2004/05/29 15:29
		US-RE38104-\$ or US-5553286-\$ or		10.23
		US-6308317-\$ or US-6003038-\$ or		
		US-5093784-\$ or US-5488714-\$ or		
		US-4514804-\$ or US-6487713-\$ or		
		US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or		
		US-6564223-\$ or US-6499095-\$ or		
		US-6446084-\$ or US-6275830-\$).did.		
-	3	((US-RE36204-\$ or US-5367685-\$ or	USPAT;	2004/05/29
		US-5999732-\$ or US-6382846-\$ or	US-PGPUB;	15:39
		US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or	EPO; JPO; DERWENT;	
		US-5093784-\$ or US-5488714-\$ or	IBM TDB	
		US-4514804-\$ or US-6487713-\$ or	_	
		US-6609248-\$ or US-6317872-\$ or		
		US-6363523-\$ or US-6542167-\$ or		
		US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.) and		
		(Shaylor or Sexton).in.		
-	1	6275830.URPN.	USPAT	2004/05/29
	9	 ("5418949" "5675790" "5721858"	USPAT	15:34 2004/05/29
-	9	("5418949" "5675790" "5721858" "5784698" "5784699" "5784707"	OSPAI	15:35
		"5838980" "5897661" "5974424").PN.		
-	362	(table or buffer or memory or array)	USPAT;	2004/05/29
		near4 (stor\$5 near5 ((resolution or	US-PGPUB;	15:40
		link\$3) adj5 (value or result)))	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	((table or buffer or memory or array)	USPAT;	2004/05/29
	_	near4 (stor\$5 near5 ((resolution or	US-PGPUB;	16:19
		link\$3) adj5 (value or result)))) and	EPO; JPO;	
		(@ad<=20000320 or @rlad<=20000320) and ("symbol table" or "constant pool")	DERWENT; IBM TDB	
_	1	((table or buffer or memory or array)	USPAT;	2004/05/29
	_	near4 (stor\$5 near5 ((resolution or	US-PGPUB;	15:42
	İ	link\$3) adj5 (value or result)))) and	EPO; JPO;	
		(@ad<=20000320 or @rlad<=20000320) and	DERWENT;	
		((symbol adj table) or (constant adj	IBM_TDB	
-	3	pool) (group\$5 near4 ((operand or method or	USPAT;	2004/05/29
		instruction) near3 type)) and	US-PGPUB;	15:48
		((US-RE36204-\$ or US-5367685-\$ or	EPO; JPO;	
		US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or	DERWENT; IBM TDB	
	ŀ	US-6308317-\$ or US-5553286-\$ or	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	į	US-5093784-\$ or US-5488714-\$ or		
		US-4514804-\$ or US-6487713-\$ or		
	1	US-6609248-\$ or US-6317872-\$ or		
		US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or		
		US-6446084-\$ or US-6275830-\$).did.)		
-	0	(group\$5 near4 ((operand or method or	USPAT;	2004/05/29
		instruction) near3 type)) and (reference	US-PGPUB;	15:49
		near4 resolution)	EPO; JPO;	
			DERWENT; IBM TDB	
1 -	12	((categor\$5 or stor\$4 or organi\$5) near4	USPAT;	2004/05/29
		((operand or method or instruction) near3	US-PGPUB;	15:49
		type)) and (reference near4 resolution)	EPO; JPO;	
1			DERWENT;	
_	1	 (((categor\$5 or stor\$4 or organi\$5) near4	IBM_TDB USPAT;	2004/05/29
· ·		((operand or method or instruction) near3	US-PGPUB;	15:50
		type)) and (reference near4 resolution))	EPO; JPO;	
	1	and (@ad<=20000320 or @rlad<=20000320)	DERWENT;	
<u></u>	<u></u>	and ("symbol table" or "constant pool")	IBM TDB	

_	4698	((717/105,139,140,143,147,148,152,162) or	USPAT;	2004/05/29
		(712/209,228) or (707/103R,200,103Y) or	US-PGPUB;	16:17
		(345/762)).CCLS.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	28	(reus\$4 or stor\$4 or log\$5) near8	USPAT;	2004/05/29
		((binding or linking and resolution) adj4	US-PGPUB;	16:18
		result)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	((reus\$4 or stor\$4 or log\$5) near8	USPAT;	2004/05/29
		((binding or linking and resolution) adj4	US-PGPUB;	16:22
		result)) and (@ad<=20000320 or	EPO; JPO;	
		@rlad<=20000320)	DERWENT;	
			IBM_TDB	
-	1	((reus\$4 or stor\$4 or log\$5) near8	USPAT;	2004/05/29
		((binding or linking and resolution) adj4	US-PGPUB;	16:23
		result)) and (717/\$ or 707/\$ or 712/\$ or	EPO; JPO;	
		345/\$)	DERWENT;	
			IBM TDB	